




Table of Contents

SPECIFICATIONS	4
DOOR STYLES	9
FINISHES	20
GRILL BASE CABINETS	24
CERAMIC GRILL CABINETS	30
BASE CABINETS	34
WALL CABINETS	44
TALL CABINETS	47
PANELS, FILLERS & ACCESSORIES	49
WINDSWEPT MOULDINGS	64
HOODS	70







Cabinet Construction Specifications

CABINET BOX

Cabinet sides, top and bottom are constructed with a 3/4" thick, lightweight HDPE (LDPE) poly marine board that us UV stable. It is NOT PVC.

All of the components are assembled with hidden polymer. These fasteners are made from high strength plastic and CNC machined into the cabinet parts.

EDGEBANDING

There is no edgebanding, the LDPE is solid black and all cabinet edges are black. The full overlay door covers all but 1/8" of the edge. This also eliminates possible edgebanding point of failure.

CABINET BACK

All cabinets have a 1/4" thick (LDPE) back with 4" nailers top and bottom.

SHELVES

Shelves are 3/4" thick LDPE. There are shelf holes drilled in 32mm (1 1/4") increments. All shelves are full depth. Shelves over 28" wide will have lineal support front and back.

DRAWER BOXES

Standard drawer boxes are constructed with 3/4" LDPE sides and back with a 1/4" thick bottom and assembled with panel connector. Full extension soft-close bottom mount slides are treated for corrosion.

DOOR HINGES

Hinges are soft-close stainless steel 110° concealed hinges with 6 way adjustment.

FINISHED ENDS

Finished ends can be purchased loose. Finished end panels are the thickness of the species panel, which adds to the overall width of a cabinet.

TOE KICK

All base and tall cabinets are constructed on adjustable leg levelers. 3 1/2" to 5" high. Additional height levelers and spacers available.

Cabinet Standards

GENERAL SPECIFICATIONS

We manufacturer our cabinet boxes using 3/4" Black LDPE (Low Density Polyurethane). LDPE is UV stable.

CABINET SIZES

Available in sizes listed only. To change the depth of a cabinet to 24" or 28", modification charges will apply. See modification section for up-charges. Modifications limited to the nearest inch.

MINIMUM CABINET WIDTH

With doors: 9" W based on the minimum width of available door styles. With drawers: 12" W

MAXIMUM CABINET WIDTH

To be warrantied, the maximum width of a specific cabinet type is the width listed as the largest available.

MINIMUM HEIGHT

With doors: 12" H

MAXIMUM HEIGHT

90 1/2"

STANDARD CABINET DEPTHS (Defaults)

Wall cabinets: 13" D

Base cabinets: 24" or 28" D
Grill base cabinets: 28" D
Burner base cabinets: 28" D
Wall depth base cabinets: 13" D
Base depth tall cabinets: 24" D

MAXIMUM DEPTH


36" D. When the depth is increased for cabinets with drawers and/or roll out drawers, the drawer box depth remains 21" regardless of cabinet depth.

FINISHED ENDS

ZähBuilt provides finished ends as an applied panel, subject to additional up-charges. Integrated finished end available in Sonoma collection per request.

TOE KICK

ZähBuilt provides plastic leg levelers that are adjustable from 3 1/2" H to 4-1/2" H. We also offer door matching toe kick planks



General knowledge

GENERAL INSTALLATION GUIDELINES

- It is very important the cabinetry is installed level and plumb. This will ensure the doors hang properly. The fronts are set squarely at the factory. If the cabinet is not level, the doors are drawers will be skewed. Only after leveling should the doors be adjusted.
- To adjust the floor levelers, we recommend the use of the Hafele leveler tool (PN # 637.76.430) for easy access, available from ZähBuilt or Hafele direct.
- Use stainless steel screws and washers for installation hardware.
- Grill panels may be removed in order to trim and fit to the grill. The countertop thickness will determine the depth of the cut. Reattach the trimmed grill panel using button fix.
- The door adjustments are accessible by removing the cover plate on the hinge arm.
- There is a small amount of adjustment available on the drawer by using the dials on the drawer box clips.

CABINETRY AND PARTS

- The LDPE cabinet parts saw and machines similar to MDF with smooth, non-splintered, chip free cuts.
- Cleans with soap and water. Use denatured alcohol or non oil based cleaners for greasy spots.
- All cabinet backs are 1/4" LDPE with 4" nailers top and bottom.
- We recommend 1-1/4" stainless steel washer head screws for joining cabinets and fillers, etc.
- Bases come with adjustable leg levelers, making installation easy on sloped floors.
- The toe plates are held in place with a friction clip on the leveler, additional screws could be used as necessary.

GRILL ACCOMMODATIONS

- An insulation jacket is required for gas grill cabinets.
- The cabinet needs to be minimum 3"
 wider than grill insulation jacket, preferably
 6" + (must be 6" wider for NEO collection).

Working With Our Sonoma HPL Panels

SAWING

- Sonoma panels can be cut on stationary circular saws, portable circular saws or jig saws using carbide tipped blades.
- We recommend alternating bevel fine cutting blades.
- Cutting too fast or too slow can result in surface discoloration. The discolored surface can be sanded off using 180 - 220 grit sandpaper.

FINISHING

- Cut edges are dangerously sharp and need to be eased.
 We recommend routing the edges or breaking the edge with sand paper.
- Teak or mineral oil can be used to polish the edges and add a layer of protection.

DRILLING


• Use high-speed steel drill bits.

ATTACHING

- Stainless steel screws offer the most secure way of attaching Sonoma panels/fillers/overlay doors to our cabinetry.
- Carefully drill a pilot hole first. Stainless steel self tapping screws are a good option as Sonoma panels produce a fine thread and can be tapped.
- VHB tape is a good alternative for panels resting on a solid surface or to hold panels until the adhesive sets.









Windswept/Louver Door

Specifications

COLLECTION

Windswept

CONSTRUCTION

1" thick Stiles & Rails, 5/8" Panel

RAIL WIDTH

2 3/4"

MINIMUM/MAXIMUM DOOR WIDTH

12" / 24"

MINIMUM/MAXIMUM DOOR HEIGHT

12" / 60"

DRAWER FRONTS

The top drawer face is always a 7" high slab drawer fronts over 8" can be ordered in a stile and rail configuration for an additional cost

FINISHED BACK OF DOOR

Painted Base Color only, no glaze

EDGE PROFILES







The center louver is accomplished by stacking 6" wide T & G moldings. The moldings "float" between the stiles and rails utilizing our patent design. This method of assembly mitigates movement that may split the frame or damage the paint.



Windswept Collection / Sand



Windswept/Shaker Door

Specifications

COLLECTION

Windswept

CONSTRUCTION

1" thick Stiles & Rails, 5/8" Panel

RAIL WIDTH

2 3/4"

MINIMUM/MAXIMUM DOOR WIDTH

12" / 24"

MINIMUM/MAXIMUM DOOR HEIGHT

12" / 60"

DRAWER FRONTS

The top drawer face is always a 7" high SLAB.drawer fronts over 8" can be ordered in a stile and rail configuration for an additional cost

FINISHED BACK OF DOOR

Painted Base Color only, no glaze

EDGE PROFILES







The center panel is "floating" between the stiles and rails utilizing our patent design. This method of assembly mitigates movement that may split the frame or damage the paint.



Windswept Collection / Sahara



Windswept/Slab Door

Specifications

COLLECTION

Windswept

CONSTRUCTION

Slab

MINIMUM/MAXIMUM DOOR WIDTH

12" - 24"

MINIMUM/MAXIMUM DOOR HEIGHT

12" / 60"

DRAWER FRONTS

1" thick slab with integral edge detail

GRAIN DIRECTION, DOOR

Grain direction is vertical on doors, horizontal grain not available

GRAIN DIRECTION, DRAWER

Grain direction is horizontal on drawers, vertical grain not available

FINISHED BACK OF DOOR

Painted base color only, no glaze

EDGE PROFILES









Windswept Collection / Cyclone



Cirrus/Skinny Shaker Door

Specifications

COLLECTION

Windswept

CONSTRUCTION

Accoya trim with an eased edge wrapping a veneered composite panel


MINIMUM/MAXIMUM DOOR WIDTH

9" / 21"

MINIMUM/MAXIMUM DOOR HEIGHT

12" / 60"

Cirrus



DRAWER FRONTS

Match door construction

GRAIN DIRECTION, DOOR

Grain direction is vertical by default.

GRAIN DIRECTION, DRAWER

Grain direction is horizontal by default.

FINISHED BACK OF DOOR

Same finish as the front

DOOR STYLE FACTOR

Factor is 10% and upgrade



Windswept Collection / Wheatland



Stratus/Pillow Door

Specifications

COLLECTION

Windswept

CONSTRUCTION

Slab with 1-1/16" sloped edge


MINIMUM/MAXIMUM DOOR WIDTH

9" / 21"

MINIMUM/MAXIMUM DOOR HEIGHT

12" / 60"

Stratus



DRAWER FRONTS

Match door construction

GRAIN DIRECTION, DOOR

Grain direction is vertical by default.

GRAIN DIRECTION, DRAWER

Grain direction is horizontal by default.

FINISHED BACK OF DOOR

Same finish as the front

DOOR STYLE FACTOR

Factor is 10%



Windswept Collection / Riptide Blue



Sonoma/Slab Door

Specifications

COLLECTION

Sonoma

CONSTRUCTION

5/8" Sonoma (phenolic resin) door with micro chamfer with an ebony colored polished edge

MINIMUM/MAXIMUM DOOR WIDTH

9" / 21"

MINIMUM/MAXIMUM DOOR HEIGHT 12" / 60"

DRAWER FRONTS

5/8" thick slab with micro chamfer edges

GRAIN DIRECTION, DOOR

Grain direction is vertical by default.

GRAIN DIRECTION, DRAWER


Grain direction is horizontal by default.

FINISHED BACK OF DOOR

Same finish as the front

DOOR STYLE FACTOR

Also applies to all panels and fillers





Sonoma Collection / Royal Walnut

*Sonoma Door / Drawer specifications continue on to the next page.



Neo Door

Specifications

AVAILABLE

Brushed Aluminum finish or powder coated Black available

CONSTRUCTION

Aluminum with either a 1/4" thick Sonoma or 3/4" thick Accoya insert

MINIMUM/MAXIMUM **DOOR WIDTH** 12" / 24"


MINIMUM/MAXIMUM **DOOR HEIGHT** 12" / 60"

GRAIN DIRECTION, DOOR

Grain direction is vertical on door panel

GRAIN DIRECTION, DRAWER

Grain direction is horizontal on drawers, vertical grain not available. Top drawer is always 7" high




^{*}Sonoma Door / Drawer specifications continue on to the next page.





Additional Neo Information

CROSS SECTION



NEO GRILL FRONTS

NEO Grill fronts will only have the Aluminum frame on the bottom and 2 sides to make it easier to install the insulated jacket.

Grill Cabinet must be a minimum of 6" wider than the Insulated Jacket.

Opus/Slab Door coming soon

Specifications

COLLECTION

Opus

CONSTRUCTION

3/4" One piece Composite Board WITH Eased EDGE

MINIMUM/MAXIMUM DOOR WIDTH

9"/24"

MINIMUM/MAXIMUM DOOR HEIGHT

12"/60"

DRAWER FRONTS


3/4" One piece Composite Board WITH Eased EDGE

GRAIN DIRECTION

Solid no grain Direction

DESIGN CONSIDERATIONS

Doors painted solid color front and back. Only solid colors are available in this collection, with no glazed finishes.





Opus/Shaker Door coming soon

Specifications

COLLECTION

Opus

CONSTRUCTION

3/4" One piece Composite Board 1/4"Routed Center with 1/4" Beveled inside profile and eased EDGE

MINIMUM/MAXIMUM DOOR WIDTH 9"/24"

MINIMUM/MAXIMUM DOOR HEIGHT 12"/60"

DRAWER FRONTS


3/4" One piece Composite Board WITH Eased EDGE

GRAIN DIRECTION


Solid no grain Direction

DESIGN CONSIDERATIONS

Doors painted solid color front and back. Only solid colors are available in this collection, with no glazed finishes.









Sonoma Finishes



HOW IT'S MADE

Layers of sustainability harvested kraft paper are impregnated with thermosetting phenolic resins. The surface decorative finish layers are then applied on both sides and a transparent topcoat is added to the surface layers. This is cured to enhance weather and light protecting properties. The panels are then subject to high heat and pressure to bond the material into a non-porous, homogeneous material that is dense and perfect for outdoor surfaces like our cabinetry.


DESIGN CONSIDERATIONS

Sonoma doors, drawers and panels are available in a sleek, ebony-polished edge, offering a clean, contemporary look. ZähBuilt has proprietary 5/8" (16mm) thick

Windswept Door Finishes

DESIGN CONSIDERATIONS

Doors painted in White will come standard with a white door back, all other paint colors, stain and glaze or weathered finishes come standard with base color back, regardless of cabinet interior color.



Wheatland

Tempest

Riptide Blue

Storm

Tephra

Overcast

Custom Color Options

Windswept Custom Color Program





DESIGN CONSIDERATIONS

- Only available in solid colors, no glazes
- Standard selection of solid paint colors
- \$250 NET sample cost for approval is mandatory
- Add 2 weeks to lead time
- Approximate 10% cost increase over standard
- Windswept door cost

Sonoma Custom Color Program





DESIGN CONSIDERATIONS

- Ask your sales rep for current selections and lead time
- Add 8-12 weeks to lead time
- \$2,500 NET cost for custom color
- Approximate 15% cost increase over Sonoma door cost

321-308-3297

SALES@ZAHBUILT.COM

ZAHBUILT.COM







Grill Base Specifications

- Grill/side burner bases are available from 18" to 78" wide constructed from 3/4" black LDPE and assembled with dowels and strategic stainless steel screws
- Grill bases are 30 1/2" tall with 4" adjustable plastic leveler legs
- Grill bases have removable/trimmable "L" shaped risers to support the grill Insulated Jacket
- Grill base must be a minimum 3" wider than grill Insulated Jacket, preferably 6" + (must be 6" wider for NEO collection)
- Grill bases are 28" deep as a standard with ventilation grills in decks of cabinet.





LDPE risers are trimmed on site to provide the proper grill height. The stretcher and riser system allows air flow for proper ventilation. Place risers near to/above the partitions.

- All grills require an insulation jacket, generally this requires a base cabinet at least 6" wider than the grill
- All grill bases have a 12 1/2" high front that needs to be cut to accommodate the liner dimensions, the final height is determined by the
- countertop thickness (grill height minus countertop thickness = front cut out)
- Standard propane tanks will slide under the grill due to our patent pending aluminum drop down tray, this tray also provides a gas ventilation
- Cabinet edges are black



Optional Ventilation/propane tank clearance trays are installed into the bottom of all grill base and burner base cabinets in order to prevent potential gas build-up within the cabinets (Patent Pending).

All Grill Base Cabinets available in 24" depth

2-DOOR



SKU

GB30-2 GB36-2 GB39-2 GB42-2

DESIGN CONSIDERATIONS

- Cabinet is 28" DEEP
- Front panel is 12 1/2" H
- Panel can be cut on site to fit individual grills

• Doors are 17 3/4" H

PARTITION

 Cabinets 36" W and wider will have a centered vertical partition between the doors

3-DOORS



SKU

GB45-3 GB48-3 GB54-3 GB60-3 **DESIGN CONSIDERATIONS**

- Cabinet is 28" DEEP
- Front panel is 12 1/2" H
- Panel can be cut on site to fit individual grills
- Doors are 17 3/4" H

PARTITION

 Cabinets 36" W and wider will have a centered vertical partition between the doors

4-DOORS



SKU

GB45-4 GB54-4 GB60-4 GB72-4 GB78-4 **DESIGN CONSIDERATIONS**

- Cabinet is 28" DEEP
- Front panel is 11 7/8" H
- Panel can be cut on site to fit individual grills
- Doors are 17 3/4" H

PARTITION

 Cabinets will have a partition separating the doors

XI Grill Base Cabinets

2-DOOR



SKU

XLGB30-2 XLGB36-2 XLGB39-2 XLGB42-2

DESIGN CONSIDERATIONS

- Cabinet is 28" DEEP
- Front panel is 18" H
- Panel can be cut on site to fit individual grills
- Doors are 12 1/4" H

PARTITION

 Cabinets 36" W and wider will have a centered vertical partition between the doors

3-DOORS



SKU

XLGB45-3 XLGB48-3 XLGB54-3 XLGB60-3

DESIGN CONSIDERATIONS

- Cabinet is 28" DEEP
- Front panel is 18" H
- Panel can be cut on site to fit individual grills
- Doors are 12 1/4" H

PARTITION

 Cabinets 36" W and wider will have a centered vertical partition between the doors

4-DOORS



SKU

XLGB45-4 XLGB48-4 XLGB54-4 XLGB60-4 XLGB72-4 XLGB78-4

DESIGN CONSIDERATIONS

- Cabinet is 28" DEEP
- Front panel is 18" H
- Panel can be cut on site to fit individual grills
- Doors are 12 1/4" H

PARTITION

 Cabinets will have a partition separating the doors

4 DRAWERS



SKU

GB30-4D	GB48-4D
GB36-4D	GB54-4D
GB39-4D	GB60-4D
GB42-4D	GB72-4D
GB45-4D	GB78-4D

DESIGN CONSIDERATIONS

- Grill base is 28" deep
- Front panel is 12 1/2" high to be cut by installer
- Drawer fronts are 8 3/4" high
- Drawer fronts over 8" can be ordered in a stile and rail configuration for an additional cost

PARTITION

 There is a full depth partition separating the drawers

2 DRAWERS & 1 DOOR



SKU

GBC30-(L,R) GBC30-(L,R) GBC36-(L,R) GBC36-(L,R) GBC39-(L,R) GBC39-(L,R) GBC42-(L,R) GBC42-(L,R)

DESIGN CONSIDERATIONS

- Grill base is 28" deep
- Front panel is 12 1/2" high to be cut by installer
- Drawer fronts are 8 3/4" high
- Drawer fronts over 8" can be ordered in a stile and rail configuration for an additional cost

PARTITION

- There is a full depth partition separating the drawers
- The 'R' or 'L' signify what side t he drawers are on

2 DRAWERS & 2 DOOR



SKU

GBC48 (L,R) GBC45-(L,R) GBC54-(L,R) GBC54-(L,R) GBC60-(L,R) GBC60-(L,R) GBC72-(L,R) GBC72-(L,R) GBC78-(L,R) GBC78-(L,R)

DESIGN CONSIDERATIONS

- Grill base is 28" deep
- Front panel is 12 1/2" high to be cut by installer
- Drawer fronts are 8 3/4" high
- Drawer fronts over 8" can be ordered in a stile and rail configuration for an additional cost

PARTITION

- There is a full depth partition separating the drawers
- The 'R' or 'L' signify what side the drawers are on

1 DOOR /
BURNER BASE



SKU

BB15 BB18 BB21 BB24

DESIGN CONSIDERATIONS

- Burner base is 28" deep
- Front panel is 12 1/2" high to be cut by installer
- Sonoma BB24 will have two doors due to weight limitations.

1 DRAWER/ BURNER BASE



SKU

BB15-1D BB18-1D BB21-1D BB24-1D **DESIGN CONSIDERATIONS**

- Burner base is 28" deep
- Front panel is 12 1/2" high to be cut by installer
- Drawer front is 17 3/4" high
- Drawer box is 12" H x 20" D
- Drawer fronts over 8" can be ordered in a stile and rail configuration for an additional cost

WARMING DRAWER GRILL BASE



SKU

WMDGB30-WMDGB54

- Standard 28" depth
- Depths available in 3" increments
- Available in 24" depth
- Grill Front is 12-1/2" high
- Bottom Panel is 17-3/4" High
- Reinforced Fixed Shelf
- Two Support Pieces shipped loose
- Full slab front to be cut-out by dealer





WINDSWEPT CERAMIC GRILL CABINETS





WCG34.5 WCG30.5 DOOR

DESIGN CONSIDERATIONS

- End panels are 30" deep and 3"wide
- For suspended application, see Specialty low base
- Overall H is 34 1/2" or 30 1/2"
- Overall W is 36"

- Inside dimension is 30" W
- There is a vertical center partition
- A non-combustible surface (stone) must be installed on the resting platform





WCGD34.5 WCGD30.5 DRAWER

- End panels are 30" deep and 3" wide
- For suspended application, see Specialty low base
- Overall H is 34 1/2" or 30 1/2"
- Overall W is 36"

- Inside dimension is 30" W
- There is a vertical center partition
- Drawer box is 10" high
- A non-combustible surface (stone) must be installed on the resting platform



SONOMA CERAMIC GRILL CABINETS





CCG34.5 CCG30.5 DOOR

DESIGN CONSIDERATIONS

- End panels are 30" deep and 5/8" wide
- For suspended application, see Specialty low base
- Optional mitered matching front edges available
- Overall H is 34 1/2" or 30 1/2"

- Overall W is 36"
- Inside dimension is 34 3/4" W
- There is a vertical center partition
- A non-combustible surface (stone) must be installed on the resting platform





CCGD34.5 CCGD30.5 DRAWER


- End panels are 30" deep and 5/8" wide
- For suspended application, see
 Specialty low base
- Optional mitered matching front edges available
- Overall H is 34 1/2" or 30 1/2"

- Overall W is 36"
- Inside dimension is 34 3/4" W
- There is a vertical center partition
- Drawer box is 10" high
- A non-combustible surface (stone) must be installed on the resting platform



Bow Front Ceramic Grill Cabinets

WINDSWEPT SUSPENDED BOW FRONT



SKU

WSBF-20


WINDSWEPT FREE STANDING BOW FRONT





WFSBF- 34.5

- End panels are 25" deep x 3" wide
- Overall height of suspended cabinet is 20", including 2 3/4" top and bottom rails
- Overall height of free standing unit is 34 1/4"
- Overall width is 36"
- Inside dimension is 30" wide
- Depth to end of radius is 34"
- Radius of arch is approx. 27" outside
- A non-combustible surface (stone) must be installed on the resting platform





Standard Base Cabinet Specifications

All ZähBuilt boxes are constructed from 3/4" black LDPE panels, making them weather resistant.

- Assembled with Lockdowels
- Full Access, frameless construction
- Standard depth is 24" deep, can be ordered 28" deep.
 Drawers remain 21" deep
- 1/4" LDPE thick cabinet backs with 4" nailers top and bottom
- Full depth adjustable shelves
- 110° soft-close stainless steel concealed hinges
- Finished ends can be purchased loose
- Undermount full extension 21" slides, concealed by drawer sides and treated with corrosion blocker
- Drawer boxes are 3/4" LDPE with 1/4" bottoms.
- Standard base cabinets are 30 1/2" H plus an adjustable leg leveler (standard toe kick is 4")

Standard Base Cabinet Specifications

FULL HEIGHT DOOR



SKU

BFH12-BFH21

DESIGN CONSIDERATIONS

- Width available in 1" increments
- 2 adjustable shelves
- Can be order 28" deep
- 'L' or 'R' signifies door hinge location

2 FULL HEIGHT DOORS



SKU

BFH24-2-BFH36-2

DESIGN CONSIDERATIONS

- Width available in 1" increments
- 2 adjustable shelves
- Can be order 28" deep

DRAWER OVER DOOR



SKU

B12-B21

DESIGN CONSIDERATIONS

- Width available in 1" increments
- Top drawer face is 7" high slab
- Drawer box is 4" x 21" deep
- 1 adjustable shelf
- Can be ordered 28" deep, drawer box will remain 21" deep

DRAWER OVER DOORS



SKU

B24-2-B36-2

- Width available in 1" increments
- Top drawer face is 7" high slab
- Drawer box is 4" x 21" deep 1 adjustable shelf
- Can be ordered 28" deep, drawer box will remain 21" deep



Drawer Base Cabinets

3 DRAWER



SKU

B3D12-36

DESIGN SPECIFICATIONS

- 24" deep cabinet as standard 28" available
- Top drawer face is 7" high slab
- Top drawer box is 4" high
- Drawer Face 2 and 3 are 11 1/2" high
- Drawer Boxes 2 and 3 are 8"high
- Can be ordered 28" deep, drawer box will remain 21" deep
- Drawer fronts over 8" can be ordered in a stile and rail configuration for an additional cost

2 DRAWER





B2D12-36

DESIGN SPECIFICATIONS

- 24" deep cabinet as standard 28" available
- Both Drawer faces are 15" high
- Both drawer boxes are 10" high
- Can be ordered 28" deep, drawer box will remain 21" deep
- Drawer fronts over 8" can be ordered in a stile and rail configuration for an additional cost

ROLL OUTS





SKU

RO4

RO8

DESIGN SPECIFICATIONS

- 21" deep box
- 4" or 8" deep
- Full extension under mount slides
- Slides are behind front
- 1" spacer on sides

Sink Base Cabinets

1 FULL HEIGHT DOOR



SKU

SBFH18 (L,R) SBFH21 (L,R)

2 FULL HEIGHT DOORS



SKU

SBFH24

SBFH27 SBFH30 SBFH33 SBFH36

DESIGN CONSIDERATIONS

- (L,R) refers to door hinge location
- Width available in 1" increments

SINK SKIRT

• 4" sink skirt including top stretcher

PARTITIONS

 Sink cabinets have no interior partition (unless requested)

SHELVES

Sink cabinets have no shelves

1 DOOR FALSE FRONT



SKU

SBFF18 (L,R) SBFF21 (L,R)



2 DOOR FALSE FRONT

SKU
SBFF24
SBFF27
SBFF30
SBFF33
SBFF36

DESIGN CONSIDERATIONS

- (L,R) refers to door hinge location
- Width available in 1" increments

SINK SKIRT

• 8 1/4" sink skirt including top stretcher

PARTITIONS

• Sink cabinets have no interior partition

SHELVES

- Sink cabinets have no shelves
- 7" high slab FF



Specialty Base Cabinets

SPICE PULLOUT



SKU

BSP9

DESIGN CONSIDERATIONS

- Only available 9" wide
- 1 fixed shelf on center
- 2" lip on both sides of fixed shelves

HANGING CUTLERY PULLOUT



SKU

BGA9

DESIGN CONSIDERATIONS

- Only available 9" wide
- Approx. 26" clear inside height
- 5 stainless steel hanging hooks

LOW HEIGHT BASE DOORS



SKU

LBH24 LBH30 LBH36

DESIGN CONSIDERATIONS

- Cabinet is 12" high plus4" adjustable legs
- Has a center partition
- Can support a ceramic grill
- Standard is 24" deep



LOW HEIGHT BASE DRAWERS

SKU

LHBD30 LHBD36

- Cabinet is 12" high plus 4" legs
- Drawers are 8" high
- Has a center partition
- Can support a ceramic grill
- Standard is 24" deep drawer fronts over 8" can be ordered in a stile and rail configuration for an additional cost



Waste Bin Cabinets

FULL HEIGHT WASTE BIN



SKU

FHWB12 FHWB15 FHWB18 FHWB21

DESIGN CONSIDERATIONS

- Trash bin not included.
 Available as an option.
- Cabinet has a 12" high roll out attached to the front allowing for a 26" high bin
- The 18" and 21" wide will accommodate 2 trash bins

WASTE BIN WITH DRAWER



SKU

BWB12 BWB15 BWB18 BWB21

- Trash bin not included. Available as an option.
- Drawer front is 7" high
- Cabinet has as 12" high roll out attached to the front allowing for a 18" high bin
- The 18" and 21" wide will accommodate 2 trash bins

Specialty Base Cabinets

WALL DEPTH BASE CABINET 1 DOOR



SKU

WDB12-(12,15,18) WDB15-(12,15,18) WDB18-(12,15,18) WDB21-(12,15,18)

DESIGN CONSIDERATIONS

- Please note 12", 15", or 18" depth
- Cabinet is 30 1/2" high plus 4" levelers
- 2 adjustable shelves

WALL DEPTH BASE CABINET 2 DOOR




SKU

WDB24-(12,15,18) WDB27-(12,15,18) WDB30-(12,15,18) WDB33-(12,15,18) WDB36-(12,15,18)

- Please note 12", 15", or 18" depth
- Cabinet is 30 1/2" high plus 4" levelers
- 2 adjustable shelves

Specialty Cabinets

FULL HEIGHT
BLIND CORNER




SKU

BFH42 (L,R)

DESIGN CONSIDERATIONS

- (L,R) refers to door hinge location
- Left side hinge is standard
- 42" W cabinet has a 14 7/8" W door
- Includes a 7" W slab filler where corner cabinet joint perpendicular cabinets
- 1 adjustable shelf

45 DEGREE CORNER BASE



SKU

DCC3636 (L,R)

DESIGN CONSIDERATIONS

- Cabinet is 36" x 36"
- Door is 16" W x 30 1/4" H
- (L,R) refers to door hinge location
- 1 adjustable shelf

GALLEY SINK CAB



SKU

GS48 (L,R) GS72(L,R)

- Cabinet is 28" deep
- Top false front is 7" high
- Drawers 2 & 3 are 11 1/2" high
- Specify left or right for drawers
- The side opposite of the drawer is open under for plumbing clearance
- Drawer fronts over 8" can be ordered in a stile and rail configuration for an additional cost



Specialty Cabinets

FARM SINK BASE



SKU

FSSB30-FSSB39

DESIGN CONSIDERATIONS

- Standard 24" depth
- Depths available in 3" increments
- Available in 28" depth.
- Farm Sink False Front is 12-1/2" high.
- Bottom Doors are 17-3/4" High
- Reinforced Fixed Shelf
- Two Support Pieces shipped loose
- Full slab front to be cut-out by dealer.

WARMING DRAWER
BASE 2-DOOR




SKU

WMDB30 WMDB36

DESIGN CONSIDERATIONS

- Standard 24" depth
- Available in 28" depth.
- Warming Drawer Front is 12-1/2" high.
- Bottom Doors are 17-3/4" High
- Partition on center.
- Two Support Pieces shipped loose
- Full slab front to be cut-out by dealer.

MICROWAVE DRAWER STACK






B2D24-B2D30

- Standard 24" depth
- Depths available in 1" increments
- Available in 28" depth.
- Microwave Front is 18-5/8" high.
- Bottom Drawer Front is 11-1/2" High
- Full slab Microwave front to be cutout by dealer.





Standard Wall Cabinet Specifications

All ZähBuilt boxes are constructed from 3/4 black LDPE

- Full access, frameless construction
- 1/4" LDPE thick cabinet backs with 4" nailers top and bottom
- Use washers with stainless steel screws when hanging wall cabinets
- Wall cabinets are 13" deep and come with full depth 3/4" thick LDPE adjustable shelves
- Stainless steel, adjustable soft close hinges
- Finished ends, crown and light rails available as accessories
- We recommend a light rail for cabinets over 21" wide
- 11" Clear inside D

Standard Wall Cabinets

1 DOOR CABIN



SKU	SKU	SKU	SKU
18" H	24" H	30" H	36" H
W1218-W2118 (L,R)	W1224-W2124 (L,R)	W1230-W2130(L,R)	W1236-W2136(L,R)

DESIGN CONSIDERATIONS

- (L,R) refers to door hinge location
- Width available in 1" increments (13-15,18)

SHELVES

- 18" H no shelves
- 24" H cabinets 1 adjustable shelf
- 30" & 36" H cabinets 2 adjustable shelves
- 13" deep outside, 11" clear inside

2 DOOR CABINET



SKU 18" H W2418-W3618

SKU 24" H

W2424-W3624

SKU 30" H

W2730-W3630

SKU


36" H W2436-W3636

DESIGN CONSIDERATIONS

- (L,R) refers to door hinge location
- Width available in 1" increments (13-15,18)

SHELVES

- 18" H no shelves
- 24" H cabinets 1 adjustable shelf
- 30" & 36" H cabinets 2 adjustable shelves
- 13" deep outside, 11" clear inside



Tall Cabinets

2-DOOR



SKU

T1294-12(L,R) T1294-24(L,R) T1594-12(L,R) T1594-24(L,R) T1894-12(L,R) T2194-12(L,R) T2194-24(L,R)

4-DOOR




SKU

T2494-12 T2494-24 T2794-12 T2794-24 T3094-12 T3094-24

- Standard height is 90 1/2" plus 4" levelers
- Top door is always 30" high
- Bottom door will vary with height change
- Fixed shelf between doors

- 6 adjustable shelves total
- Note depth (12" or 24") on order
- Note door swing on 2 door cabinet



Decorative Applied Panels











AP (WIDTH X HEIGHT X STYLE X FINISH)

- Only available in custom sizes
- Reference the specifications section for additional information and limitations
- Appliance panels, please input the exact size required
- Note door style, color, width and height

End Panels

WINDSWEPT END/ BACK PANEL



SKU

WEP1536 WEP2642 WEP1595 WEP3042 WEP3036 WEP2695 WEP3095

SONOMA END PANEL




SKU

SEP2636 SEP2642 SEP3036 SEP3042 SEP1430 SEP1436 SEP1495 SEP2695 SEP3095

- All 'end panels' are shipped loose
- All 'end panels' are a slab (not decorative)
- Windswept is 3/4" thick
- Sonoma panels are 5/8" thick
- Standard Sonoma have an ebony edge
- Sonoma can be ordered with a matching front edge (add cost)
- Custom sizes available at additional cost
- Maximum size is 36" x 48" Sonoma
- If size exceeds maximum, need to order a 'back or tall panel'
- Windswept panels are finished on 1 long edge only
- Windswept back panels maximum width is 36" max height is 48"
- Sonoma requires a +/- 1/4" tolerance

Sonoma Box Columns

SONOMA BOX COLUMN SHALLOW



SKU

SBCS-3x7X34.5 SBCS-3x7X36 SBCS-3x7X94.5

DESIGN CONSIDERATIONS

- 7 1/4" both sides
- 36" high for scribing as needed
- Matching mitered edge available for an added cost

SONOMA
BOX COLUMN
1 FULL SIDE




SKU

SBC1S-1.25x2636 SBC1S-2.5x2636 SBC1S-3x2634.5 SBC1S-3x2636 SBC-1S-4x2536 SBC-1S-5x2536 SBC-1S-6x2536 SBC1S-3x2694.5 **DESIGN CONSIDERATIONS**

- 7 1/4" return 1 side
- 1 side full depth (26" or 30")
- 36" high is for scribing
- Matching mitered edge available for an added cost

SONOMA
BOX COLUMN
3 SIDES



SKU

SBC3S-1.25x2636 SBC3S-2.5x2636 SBC3S-3x2634.5 SBC3S-3x2636 SBC3S-4x2636 SBC3S-5x2636 SBC3S-6x2636 SBC3S-3x2694.5

- Both sides full depth (26" or 30")
- 36" high is for scribing
- Matching mitered edge available
- Custom sizing available at additional cost configuration for an additional cost



Sonoma Box Columns

SONOMA 4-SIDED BOX COLUMN

SONOMA U-SHAPED BOX COLUMN

SKU

SBC4S-1.25x2536 SBC4S-2.5x2636 SBC4S-3x2536 SBC4S-4x2536 SBC4S-5x2536 SBC4S-6x2536

DESIGN CONSIDERATIONS

- 2 full returns and two matching faces
- 25" and 29" deep
- 36" high for scribing
- Matching mitered edge available for an added cost.

SKU

SBC-U-1.25x2536 SBC-U-2.5x2536 SBC-U-3x2536 SBC-U-4x2536 SBC-U-5x2536 SBC-U-6x2536

- 25" and 29" deep
- 36" high for scribing
- Matching mitered edge available for an added cost.

Windswept Box Columns

WINDSWEPT BOX COLUMN SHALLOW

WINDSWEPT
BOX COLUMN
1 FULL SIDE

WINDSWEPT BOX COLUMN 3 SIDES



WBCS-1.5x7X36 WBCS-2.25x7X36 WBCS-3x7X36 WBCS-3x7X36 WBCS-4x7X36 WBCS-5x7X36 WBCS-5x7X36

SKU

WBC1S-1.5x2636 WBC1S-2.25x2636 WBC1S3x2634.5 WBC1S3x2636 WBC1S4x2636 WBC1S-5x2636 WBC1S-6x2636 WBC1S-3x2694.5

SKU

WBC3S-1.5x2636 WBC3S-2.25x2636 WBC3S-3x2634.5 WBC3S-3x2636 WBC3S-4x2636 WBC3S-5x2636 WBC3S-6x2636 WBC3S-3x2694.5

DESIGN CONSIDERATIONS

- 7" both sides
- 36" high for scribing as needed
- 3" wide

DESIGN CONSIDERATIONS

• 3" face x 7" one side x full depth 1 side

- Finished on 3" w face, side return and long inside edge
- 3" face with both sides finished full depth



Windswept Box Columns

WINDSWEPT 4-SIDED BOX COLUMN

WINDSWEPT
U-SHAPED BOX
COLUMN

SKU

WBC4S-1.25x2536 WBC4S-2.5x2536 WBC4S-3x2536 WBC4S-4x2536 WBC4S-5x2536 WBC4S-6x2536

DESIGN CONSIDERATIONS

- 2 full returns and two matching faces
- 25" and 29" deep
- 36" high for scribing


SKU

WBC-U-1.25x2536 WBC-U-2.5x2536 WBC-U-3x2536 WBC-U-4x2536 WBC-U-5x2536 WBC-U-6x2536

- 25" and 29" deep
- 36" high for scribing

Fillers & Floating Shelves

SONOMA FILLER WITH BACKER



SKU

SF336 SF394.5 SF6536 SF694.5

DESIGN CONSIDERATIONS

- 7" both sides
- 36" high for scribing as needed
- 3" wide

WINDSWEPT FILLER WITH BACKER



SKU

WF336 WF394.5 WF636 WF694.5

DESIGN CONSIDERATIONS

• 3" face x 7" one side x full depth 1 side

WINDSWEPT FLOATING SHELF




SKU

WFS24(L,R,B,N) WFS54(L,R,B,N)
WFS30(L,R,B,N) WFS60(L,R,B,N)
WFS36(L,R,B,N) WFS66(L,R,B,N)
WFS42(L,R,B,N) WFS72(L,R,B,N)
WFS48(L,R,B,N)

- Finished on 3" w face, side return and long inside edge
- 3" face with both sides finished full depth

Corner Fillers

SONOMA
INSIDE CORNER
FILLER




SKU

SICF3x336 SICF6x636

DESIGN CONSIDERATIONS

- 3" x 3" inside filler
- Overall 9 5/8" x 9 5/8" x 36" high
- LDPE back filler

WINDSWEPT
INSIDE CORNER
FILLER



SKU

WICF3x336 WICF6x636

DESIGN CONSIDERATIONS

- 3" x 3" inside filler
- Overall 10" x 10" x 36"
- Matching back filler

APPLIANCE PILASTER



SKU


APL336 APL636

- Used to separate under counter appliances and support counter top
- LDPE back structure
- Specify 24" or 28" deep
- Available 3" or 6" wide
- Comes with front that matches door/drawer
- Standard height is 36"




Posts

SONOMA POST 3"




SONOMA POST 6"



- We define a post as having 4 finished sides
- Available 34 1/2" or 36" high
- Sonoma standard has 4 ebony edges
- Sonoma can be mitered all sides for additional cost

Posts


WINDSWEPT POST 3"





WP336

WINDSWEPT POST 6"



SKU

WP636 Actual Net Size is 5 1/2" Square

- We define a post as having 4 finished sides
- 36" high
- 3/4" thick material
- Windswept standard is mitered all sides
- 6" post is 5 1/2" square

LDPE Panels & Toe Plates



DESIGN CONSIDERATIONS

- 3/4" thick LDPE
- All edges unfinished

DESIGN CONSIDERATIONS

- 94" maximum standard length
- 5 1/2" standard height
- 5/8" thick
- Windswept primed all sides
- Finished color 1 face

- 94" maximum standard length
- 5 1/2" standard height
- 5/8" thick
- Windswept primed all sides
- Finished color 1 face
- Sonoma has 2 faces, ebony 2 edges

Pulls & Accessories

1" KNOB



SKU SSK

SSB



7" PULL



SKU SSP SSPB

DESIGN CONSIDERATIONS

- Hardware is 304 stainless Powder coated clear or Black
- ZähBuilt hardware is not drilled or mounted on doors and drawers.

DOOR CAM LOCKS



SKU

CAMLOCK

DESIGN CONSIDERATIONS

- Locks are keyed alike
- Contact your rep for installed lock pricing

TOUCH UP KIT



SKU

TUK

- Only available in base colors
- Order individually by color



Accessories

LEVELER SPACER



SKU

LS1

DESIGN CONSIDERATIONS

- Adds 3/8" of Height per Spacer
- Can use up to 3

LEVELER INSERT



SKU

LL3 LL7 **DESIGN CONSIDERATIONS**

- Modifies base cabinet heights from the stock 4" leg
- Standard leg adjusts from 3 3/4" to 5"
- LL3 adjusts from 2 1/2" to 4"
- LS7 adjusts from 6 3/4" to 7 3/4"

LEVELER
ADJUSTMENT
TOOL



SKU

LAT

DESIGN CONSIDERATIONS

• Used to adjust levelers during install

Dealer Sales Tools

DEALER MINI BASE



SKU

DMB

DESIGN CONSIDERATIONS

- Cabinet is 13" W x 23" H x 13" D + toe
- Specify brushed stainless or black pull
- Color and finish is random, allow
 4-6 weeks for requested finished

DEALER SAMPLE DOOR



SKU

DSD

DESIGN CONSIDERATIONS

- Standard sample doors is Windswept White
- 12 3/4" W x 15 3/4" high
- Allow 2 weeks lead time for colors other than white

SONOMA SAMPLE BLOCKS



SKU

CSB

DESIGN CONSIDERATIONS

- 6" x 6" x 5/8" thick blocks
- Includes stand

WINDSWEPT SAMPLE BLOCKS



SKU

WSB

DESIGN CONSIDERATIONS

- 6 blocks 2 3/4" W x 6" long
- Finished 1 edge 1 face

DEALER KIT



SKU

DK

- 4 Sample doors (Anvil, Cumulus, Virga, & Stratus)
- 1 set of blocks of both Windswept and Sonoma Collections
- Sample Block Holders.
- Colors on the door samples are predetermined and not selectable,
- Cirrus and Neo doors not included must be ordered separately.









PERFORMANCE

Excels in every way







WARRANTY

HIGHLY STABLE HIGHLY DURABLE

FINISH

Beautifully versatile







IDEAL FOR COATING

LOW MAINTENANCE NATURAL WOOD

SUSTAINABILITY

World-changing environmental credentials



SOURCED





100% RECYCLABLE Accoya turns everything you know about wood on its head. Through a revolutionary process called acetylation, it modifies wood to give it properties above aind beyond the very best hardwoods - and in many cases, aluminum and PVC.

Highly durable and stable, Accoya withstands the test of any climate.

The warranty is a testament to the fact you will enjoy your Accoya wood for years to come.



To learn more visit:


ACCOYA.COM






Copyright © Accsys Technologies 2024. Accsys Technologies is a trading name of Titan Wood Limited. Accoya® and the Trimarque Device are registered trademarks owned by Titan Wood Limited and may not be used or reproduced without written permission.

Windswept Crown




SKU

WSC71 Net width is 3 1/2"W



SKU

WSC50 Net width is 5 1/4" W




SKU

WSC103 Net width is 5 1/4" W

- If a nailer is needed please order Flat Stock or Base
- 94" maximum standard length
- Primed all sides
- Finished color on all exposed faces

Windswept Crown








- 94" maximum standard length
- Primed all sides
- Finished color on all exposed faces

Windswept Base Boards


PROFILE BASE



SKU

BP192.25 BP195.25 BP197.25


BEVELED BASE



SKU BB3.25

BB5.25 BB7.25

DOOR PROFILE BASE




SKU

BDP3.25 BDP5.25 BDP7.25

- 94" maximum standard length
- Primed all sides
- Finished color on all exposed faces

Misc. Windswept Moldings

PICTURE FRAME MOLDING




SKU

M095

DESIGN CONSIDERATIONS

• 94" maximum standard length

VALANCE




SKU

WSV CV **DESIGN CONSIDERATIONS**

- 94" maximum standard length
- Primed all sides
- Finished color on 1 face and profiled edge

FLAT STOCK




SKU

1x4x8 1x6x8 1x8x8

- Net size of 1x4x8 is 3/4" x 3 1/4" x 94"
- Net size of 1x6x8 is 3/4" x 5 1/4" x 94"
- Net size of 1x8x8 is 3/4" x7 1/4"x 94
- Flat stock is primed all sides Finished
- Color on 1 face and 1 edge
- Additional Finished faces and edges at added cost









Windswept Louver Hood







DESIGN CONSIDERATIONS


- Widths available 44" and 55"
- Heights available 36" ,42" and 48"
- Depths available 25" and 32"
- Crown molding is shipped loose and is optional
- Ventilator cut out is done on site
- Generally liner must be 36" above cooking surface


SKU

LH4436-25	LH5536-25
LH4436-32	LH5536-32
LH4442-25	LH5542-25
LH4442-32	LH5542-32
LH4448-25	LH5548-25
LH4448-32	LH5548-32

Windswept Shaker Hood







DESIGN CONSIDERATIONS


- Widths available 44" and 55"
- Heights available 36" ,42" and 48"
- Depths available 25" and 32"
- Crown molding is shipped loose and is optional
- Ventilator cut out is done on site
- Generally liner must be 36" above cooking surface


SKU

SH4436-25	SH5536-25
SH4436-32	SH5536-32
SH4442-25	SH5542-25
SH4442-32	SH5542-32
SH4448-25	SH5548-25
SH4448-32	SH5548-32

Windswept Nickel Joint Hood







DESIGN CONSIDERATIONS

- Widths available 44" and 55"
- Heights available 36" ,42" and 48"
- Depths available 25" and 32"
- Crown molding is shipped loose and is optional
- Ventilator cut out is done on site
- Generally liner must be 36" above cooking surface

SKU

NJH4436-25	NJH5536-25
NJH4436-32	NJH5536-32
NJH4442-25	NJH5542-25
NJH4442-32	NJH5542-32
NJH4448-25	NJH5548-25
NJH4448-32	NJH5548-32

